



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Löffelreiniger

Version number: 1.0

First version: 2020-09-14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	<u>Löffelreiniger</u>
Registration number (REACH)	Not relevant (mixture).
CAS number	not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Instrument cleaner
---------------------------------	--------------------

1.3 Details of the supplier of the safety data sheet

PLIWA Hygiene GmbH	Telephone: +495661 / 7317 0
Pliwa-Straße 2	Telefax: +495661 / 7317 10
34323 Malsfeld-Ostheim	e-mail: info@pliwa.de
Germany	Website: www.pliwa.de

e-mail (competent person) sdb@csb-online.de

Please do not use this e-mail address to ask for the latest safety data sheet. For this purpose contact PLIWA Hygiene GmbH.

1.4 Emergency telephone number

Emergency information service	PLIWA Hygiene GmbH +49 5661 / 7317 0 This number is only available during the following office hours: Monday-Friday 07:00 - 16:00.
--------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------

As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

Löffelreiniger

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word danger

Pictograms

GHS02, GHS05



Hazard statements

H226 Flammable liquid and vapour.

H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous ingredients for labelling

2-propylheptanol ethoxylate
alcohols, C12-14, ethoxylated, sulfates, sodium
salts

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances






Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Aqueous solution, containing surfactants.
Concentrate.

Löffelreiniger

Hazardous ingredients					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
propan-2-ol	CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00-0	5 – < 10	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	 	GHS-HC
2-propylheptanol ethoxylate	CAS No 160875-66-1	5 – < 10	Acute Tox. 4 / H302 Eye Dam. 1 / H318	 	
alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No 68891-38-3 EC No 500-234-8 REACH Reg. No 01-2119488639-16-xxxx	1 – < 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		

Notes

GHS- Harmonised classification (the classification of the substance corresponds to the entry in the list according to HC: 1272/2008/EC, Annex VI)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, wash immediately with plenty of water.

Following eye contact

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor.

Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

Löffelreiniger

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

These information are not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water spray, alcohol resistant foam, fire extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

Solvent vapours are heavier than air and may spread along floors.

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

self-contained breathing apparatus (EN 133)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

Special danger of slipping by leaking/spilling product.

Wearing of suitable protective equipment (including personal protective equipment referred to under

Löffelreiniger

Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.
Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to clean up a spill

Collect spillage.
Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal.
Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.
Personal protective equipment: see section 8.
Incompatible materials: see section 10.
Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.
Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharge.
Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.

Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.
Vapours are heavier than air, spread along floors and form explosive mixtures with air.
Vapours may form explosive mixtures with air.

Measures to protect the environment

Avoid release to the environment.

Löffelreiniger

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Keep container tightly closed and in a well-ventilated place.

Use local and general ventilation.

Keep cool.

Protect from sunlight.

Flammability hazards

Keep away from sources of ignition - No smoking.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Protect from sunlight.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

high temperatures, frost

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
GB	propane-1,2-diol	57-55-6	WEL		10			particle	EH40/2005
GB	propane-1,2-diol	57-55-6	WEL	150	474			vp	EH40/2005
GB	propan-2-ol	67-63-0	WEL	400	999	500	1,250		EH40/2005

Löffelreiniger

Notation

particle	as airborne particles
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
vp	as vapours and particulates

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
propan-2-ol	67-63-0	DNEL	500 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
propan-2-ol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	DNEL	2,750 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	DNEL	175 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	DNEL	132 µg/cm ²	human, dermal	worker (industry)	chronic - local effects

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
propan-2-ol	67-63-0	PNEC	140.9 mg/l	marine water
propan-2-ol	67-63-0	PNEC	2,251 mg/l	sewage treatment plant (STP)
propan-2-ol	67-63-0	PNEC	552 mg/kg	freshwater sediment
propan-2-ol	67-63-0	PNEC	552 mg/kg	marine sediment
propan-2-ol	67-63-0	PNEC	140.9 mg/l	freshwater
propan-2-ol	67-63-0	PNEC	28 mg/kg	soil
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.24 mg/l	freshwater

Löffelreiniger

Relevant PNECs of components of the mixture				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.024 mg/l	marine water
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	10 g/l	sewage treatment plant (STP)
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.917 mg/kg	freshwater sediment
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	0.092 mg/kg	marine sediment
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	PNEC	7.5 mg/kg	soil

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
NBR: acrylonitrile-butadiene rubber	≥ 0,11 mm	>10 minutes (permeation: level 1)
NR: natural rubber, latex	≥ 0,11 mm	>10 minutes (permeation: level 1)
PVC: polyvinyl chloride	≥ 0,11 mm	>10 minutes (permeation: level 1)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

Löffelreiniger

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid
Form	Fluid
Colour	Clear - Pale yellow
Odour	These information are not available
Odour threshold	These information are not available

Other safety parameters

pH (value)	4 – 5 (20 °C)
Melting point/freezing point	These information are not available
Initial boiling point and boiling range	>80 °C
Flash point	~50 °C
Evaporation rate	These information are not available
Flammability (solid, gas)	Not relevant (fluid)

Explosive limits

Lower explosion limit (LEL)	2 vol%
Upper explosion limit (UEL)	13.4 vol%
Vapour pressure	These information are not available
Density	0.992 – 1.054 g/cm ³ at 20 °C
Vapour density	These information are not available
Relative density	These information are not available

Solubility(ies)

Water solubility	Miscible in any proportion
------------------	----------------------------

Partition coefficient

n-octanol/water (log KOW)	These information are not available
Auto-ignition temperature	280 °C
Relative self-ignition temperature for solids	Not relevant (Fluid)
Decomposition temperature	These information are not available

Viscosity

Löffelreiniger

Kinematic viscosity	These information are not available
Dynamic viscosity	These information are not available
Explosive properties	Not explosive
Oxidising properties	Shall not be classified as oxidising

9.2 Other information

Temperature class (EU, acc. to ATEX)	T3
--------------------------------------	----

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of ignition.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.

Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.

10.5 Incompatible materials

acids, bases, oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification procedure

If not otherwise specified the classification is based on:
Ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Löffelreiniger

Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	End-point	Value	Species	Method	Source
propan-2-ol	67-63-0	oral	LD50	5,840 mg/kg	rat	OECD Guideline 401	ECHA
propan-2-ol	67-63-0	dermal	LD50	13,100 mg/kg	rabbit	OECD Guideline 402	ECHA
2-propylheptanol ethoxylate	160875-66-1	oral	LD50	300 – 2,000 mg/kg	rat		manufacturer
2-propylheptanol ethoxylate	160875-66-1	dermal	LD50	>2,000 mg/kg	rabbit		manufacturer
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	oral	LD50	4,100 mg/kg	rat	OECD Guideline 401	ECHA
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	dermal	LD50	>2,000 mg/kg	rat	OECD Guideline 402	ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Löffelreiniger

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Test data are not available for the complete mixture.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
propan-2-ol	67-63-0	LC50	9,640 mg/l	fathead minnow (Pimephales promelas)	OECD Guideline 203	ECHA	96 h
propan-2-ol	67-63-0	LC50	>10,000 mg/l	daphnia magna	OECD Guideline 202	ECHA	24 h
2-propylheptanol ethoxylate	160875-66-1	EC50	>10 – 100 mg/l	daphnia magna		manufacturer	48 h
2-propylheptanol ethoxylate	160875-66-1	EC50	>10 – 100 mg/l	algae (Scenedesmus subspicatus)		manufacturer	72 h
2-propylheptanol ethoxylate	160875-66-1	LC50	>10 – 100 mg/l	rainbow trout (Oncorhynchus mykiss)		manufacturer	96 h
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	EC50	7.4 mg/l	daphnia magna	OECD Guideline 202	ECHA	48 h
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	LC50	7.1 mg/l	zebra fish (Danio rerio)	OECD Guideline 203	ECHA	96 h
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	ErC50	27.7 mg/l	algae (Desmod-esmus subspicatus)	OECD Guideline 201	ECHA	72 h

Aquatic toxicity (chronic)

Test data are not available for the complete mixture.

Löffelreiniger

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Method	Source	Exposure time
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	LC50	0.74 mg/l	daphnia magna	OECD Guideline 211	ECHA	21 d
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	NOEC	0.14 – 0.2 mg/l	rainbow trout (Oncorhynchus mykiss)	OECD Guideline 204	ECHA	28 d
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	NOEC	0.95 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA	72 h
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	growth rate (ErCx) 10%	4.4 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201		72 h

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
propan-2-ol	67-63-0	oxygen depletion	53 %	5 d	EU method C.5	ECHA
2-propylheptanol ethoxylate	160875-66-1	oxygen depletion	>60 %	28 d	OECD Guideline 301D	manufacturer
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	DOC removal	100 %	28 d	EU method C.4-A	ECHA
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	oxygen depletion	≥77 %	28 d	OECD Guideline 301D	ECHA

Biodegradation

The relevant substances of the mixture are readily biodegradable.

Persistence

No data available.

Löffelreiniger

12.3 Bioaccumulative potential

Test data are not available for the complete mixture.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW
propan-2-ol	67-63-0		0.05 (20 °C)
alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3		0.3 (pH value: 6.1, 23 °C)

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 1

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information


14.1	UN number	1987
14.2	UN proper shipping name	ALCOHOLS, N.O.S.
	Technical name (hazardous ingredients)	isopropanol
14.3	Transport hazard class(es)	
	Class	3
14.4	Packing group	III

Löffelreiniger


- 14.5 Environmental hazards -
- 14.6 Special precautions for user -
- 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code -

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

UN number	1987
Proper shipping name	UN1987, ALCOHOLS, N.O.S., (contains: isopropanol), 3, III, (D/E)
Class	3
Classification code	F1
Packing group	III
Danger label(s)	3
	
Special provisions (SP)	274, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	3Y

International Maritime Dangerous Goods Code (IMDG)

UN number	1987
Proper shipping name	UN1987, ALCOHOLS, N.O.S., (contains: isopropanol), 3, III, ~50°C c.c.
Class	3
Marine pollutant	-
Packing group	III
Danger label(s)	3
	
Special provisions (SP)	223, 274

Löffelreiniger

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	1987
Proper shipping name	UN1987, Alcohols, n.o.s., (contains: isopropanol), 3, III
Class	3
Packing group	III
Danger label(s)	3



Special provisions (SP)	A3, A180
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction
Löffelreiniger	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3
propan-2-ol	flammable / pyrophoric		R40

Legend

- R3
1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,

Löffelreiniger

Legend

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
- (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- R40
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
P5c	flammable liquids (cat. 2, 3)	5,000 50,000	51)

Notation

51) flammable liquids, categories 2 or 3 not covered by P5a and P5b

Löffelreiniger

Regulation 648/2004/EC on detergents

Labelling of contents	
Wt%	Constituents
≥5% - <15%	non-ionic surfactants
< 5 %	anionic surfactants
	disinfectants preservation agents (METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE)

Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.
Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval

Löffelreiniger

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

Löffelreiniger

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties.

Health hazards.

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Responsible for the safety data sheet

C.S.B. GmbH
Düsseldorfer Str. 113
47809 Krefeld, Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-online.de
Website: www.csb-online.de

Löffelreiniger

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.